

Client Instant Peptides

Analyzed 03/24/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	GLP-2 TRZ	Form	Lyophilized powder
Batch	2026-0231-B	Labeled Qty	20mg
Mol. Formula	C225H348N48O68	CAS Number	2023788-19-2
Cap Color	GREEN	Crimp Color	SILVER

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.940%
Batch Avg Net Content	(20mg ± 10%)	21.53 mg
Identity Confirmation (LC-MS)	(GLP-2 TRZ)	GLP-2 TRZ
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING


Analyte	Result
Lead (Pb)	Negative
Cadmium (Cd)	Negative
Arsenic (As)	Negative
Mercury (Hg)	Negative

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.943	21.53
Vial 2	99.996	21.43
Vial 3	99.881	21.62
Batch Average	99.940%	21.53 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



David Cohen
Lab Director



koveralabs.com/verify

Report#: KVR-2026-3823E8
Access Code: A3ME0QM