

Client: Instant Peptides

Certified: 06/20/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Klow	Form	Lyophilized powder
Batch	2026-0270-D	Labeled Qty	80 mg
Cap Color	Blue	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Blend Avg Purity	(>98%)	99.688%	✔
Blend Avg Net Content	(~80mg)	87.29 mg	✔
Blend Identification (LC-MS)	(Klow)	Klow	✔
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS	✔
Microbial Sterility Screen	(No Growth)	No Growth	✔
14 Day Sterility Screening	(No Growth)	No Growth	✔

BATCH CONFORMITY RESULTS

Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.634	87.16
Vial 2	99.665	87.89
Vial 3	99.765	86.81
Batch Average	99.688%	87.29 mg

BLEND COMPONENT ANALYSIS

Component	Labeled	Measured
TB-500	10 mg	10.92 mg
BPC-157	10 mg	9.87 mg
KPV	10 mg	11.94 mg
GHK-Cu	50 mg	54.43 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✔
Cadmium (Cd)	Negative	✔
Lead (Pb)	Negative	✔
Mercury (Hg)	Negative	✔

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm

