

Client: Instant Peptides

Certified: 06/20/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

| | | | |
|--------------|-------------|-------------|--------------------|
| Product | KPV | Form | Lyophilized powder |
| Batch | 2026-0243-C | Labeled Qty | 10 mg |
| Mol. Formula | C16H30N4O4 | CAS Number | 67727-97-3 |
| Cap Color | Blue | Crimp Color | Silver |

TEST RESULTS

| | REFERENCE STANDARD | RESULT | |
|-------------------------------|--------------------|--------------|---|
| Batch Avg Purity | (>98%) | 99.364% | ✓ |
| Batch Avg Net Content | (~10mg) | 9.55 mg | ✓ |
| Identity Confirmation (LC-MS) | (KPV) | KPV | ✓ |
| Endotoxin Safety Screen | (≤0.5 EU/mL) | PASS | ✓ |
| Fentanyl Presence Analysis | (Not Detected) | Not Detected | ✓ |
| 14 Day Sterility Screening | (No Growth) | No Growth | ✓ |

HEAVY METAL SCREENING


| Analyte | Result | Status |
|--------------|----------|--------|
| Arsenic (As) | Negative | ✓ |
| Cadmium (Cd) | Negative | ✓ |
| Lead (Pb) | Negative | ✓ |
| Mercury (Hg) | Negative | ✓ |

BATCH CONFORMITY RESULTS

| Vial | Purity (%) | Net Content (mg) |
|----------------------|----------------|------------------|
| Vial 1 | 99.563 | 9.56 |
| Vial 2 | 99.311 | 9.88 |
| Vial 3 | 99.217 | 9.21 |
| Batch Average | 99.364% | 9.55 mg |

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



 Lab Director


koveralabs.com/verify

 Report#: KVR-2026-5F6F7E
 Access Code: 7JW2OT2